

**Safety Data Sheet**  
**SOCOPAC 25 H - P19193A**

Safety Data Sheet dated 9/24/2015, version 1

**1. IDENTIFICATION**

Product identifier

Mixture identification:

Trade name: SOCOPAC 25 H

Other means of identification:

MSDS code: P19193A

Recommended use of the chemical and restrictions on use

Recommended use:

Paint/coating

Industrial uses

Restrictions on use:

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company:

Dysol Inc. - 2901 Shamrock Ave. - Forth Worth, TX 76107 / Phone: 1-817-335-1826 /

csr-na@socomore.com/ Fax Number: 817-335-2405

Distributor : SOCOMORE S.A.S.

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 20 26

Distributor: Socomore Ltd - 5, Coe Avenue - Loughborough - Leicestershire - LE11 4SE - UK

- Tel: +44 1509 262040 - Fax: +44 1509 262046

Distributor: Socomore Iberia - Calle Diputació, 260 - 08007 Barcelona - Espana - Tel: +34 917

693 962 - Fax: +34 902 908 966

Distributor: MagChem Inc. 1271, rue Ampère, suite 101, Boucherville, QC, J4B 5Z5 Canada -

Tel: 1-450 641 8500 - Fax: 1-450 655 1717

Distributor: Socomore GmbH - c/o MAZARS GmbH - Bernhard-Wicki-Straße 7 - 80636

München - Deutschland - Tel: +49 (0)89 20 70 28 83 - Fax: +49 (0) 89 88 91 98 16

Distributor: Socomore Trading Shangai - 355 East Kang Qiao Road - Kang Qiao Industrial

Zone - Pudong - 201315 Shangai - Tel: 862158131133 - Fax: 862158131933

Dystrybutor : SOCOMORE SPzoo - Ul. Piekna 18, 00-549 Warszawa Polska - Tel : +48 (22)

486 084 41 14 - Fax : +48 (22) 621 61 09

Competent person responsible for the safety data sheet:



techdirsocomore@socomore.com

Emergency phone number

CHEMTEL: 1-800-255-3924 (USA) / CANUTEC: 1-613-996-6666 (CANADA)

**2. HAZARD(S) IDENTIFICATION**

Classification of the chemical

 Warning, Flam. Liq. 3, Flammable liquid and vapour. Warning, STOT SE 3, May cause drowsiness or dizziness. Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Label elements

Symbols:



**Safety Data Sheet**  
**SOCOPAC 25 H - P19193A**

**Danger**

**Hazard statements:**

- H226 Flammable liquid and vapour.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements:**

- P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- P240 Ground container and receiving equipment.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
- P242 Use only non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P261 Avoid breathing vapours.
- P271 Use only outdoors or in a well-ventilated area.
- P273 Avoid release to the environment.
- P280 Wear protective gloves and eye/face protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor/... if you feel unwell.
- P331 Do NOT induce vomiting.
- P370+P378 In case of fire, use a CO2 fire extinguisher to extinguish.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with applicable regulations.

**Special Provisions:**

None

**Hazards not otherwise classified identified during the classification process:**


None

**Ingredient(s) with unknown acute toxicity:**

None.

**Additional classification information**

**NFPA rating:**



**HMIS rating:**

<b>HEALTH</b>	*	<input type="checkbox"/>
<b>FLAMMABILITY</b>	<input type="checkbox"/>	<input type="checkbox"/>
<b>PHYSICAL HAZARD</b>	<input type="checkbox"/>	<input type="checkbox"/>
<b>PERSONAL PROTECTION</b>	<input type="checkbox"/>	

## Safety Data Sheet

### SOCOPAC 25 H - P19193A

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances


N.A.

Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 50% - < 60% HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

REACH No.: 01-2119463258-33, EC: 919-857-5


 B.6/3 Flam. Liq. 3 H226

 A.10/1 Asp. Tox. 1 H304

 A.8/3 STOT SE 3 H336

>= 3% - < 5% HYDROCARBONS, C9, AROMATICS.


EC: 918-668-5

 B.6/3 Flam. Liq. 3 H226

 A.8/3 STOT SE 3 H335


 A.10/1 Asp. Tox. 1 H304

 A.8/3 STOT SE 3 H336

 US-HAE/C2 Aquatic Chronic 2 H411

>= 3% - < 5% NAPHTHENE (PETROLE) HYDRODESULFURE

CAS: 64742-82-1, EC: 265-185-4

 B.6/3 Flam. Liq. 3 H226

 A.10/1 Asp. Tox. 1 H304

 A.8/3 STOT SE 3 H336

 US-HAE/C2 Aquatic Chronic 2 H411


>= 3% - < 5% PETROLATUM (PETROLEUM), OXIDIZED, CALCIUM SALT

CAS: 68425-34-3, EC: 270-348-8

 A.3/2A Eye Irrit. 2A H319

>= 0.5% - < 1% Benzenesulfonic acid, di-C10-14-alkyl derivs, calcium salts

REACH No.: 01-2119978241-36, EC: 939-603-7

 A.4.2/1B Skin Sens. 1B H317

## Safety Data Sheet

### SOCOPAC 25 H - P19193A

---

#### 4. FIRST-AID MEASURES

Description of necessary measures

In case of skin contact:

Immediately take off all contaminated clothing.

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

No particular treatment.

---

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

In case of fire, use... (indicate in the space the precise type of fire-fighting equipment. If water increases risk, add - 'Never use water')

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products:

None

Explosive properties: N.A.

Oxidizing properties: N.A.

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Remove persons to safety.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Methods and materials for containment and cleaning up

Wash with plenty of water.

---

#### 7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

## Safety Data Sheet

### SOCOPAC 25 H - P19193A

Don't use empty container before they have been cleaned.  
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
 Contaminated clothing should be changed before entering eating areas.  
 Do not eat or drink while working.  
 See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.  
 Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.  
 Avoid accumulating electrostatic charge.  
 Keep away from food, drink and feed.  
 Incompatible materials:  
 None in particular.  
 Instructions as regards storage premises:  
 Cool and adequately ventilated.  
 Safety electric system.  
 Storage temperature:  
 Store at ambient temperature.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N.A.

PNEC Exposure Limit Values

N.A.

Appropriate engineering controls:

None

Individual protection measures

Eye protection:

Safety goggles (EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable gloves type: NF EN374

NBR (nitrile rubber).

PVA (Polyvinyl alcohol).

Respiratory protection:

Mask with filter "A1" , brown colour (NF EN14387)

Thermal Hazards:

None

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	BROWN RED LIQUID	Method:	N.A.
Odour:	N.A.	Method:	N.A.
Odour threshold:	N.A.	Method:	N.A.
pH:	N.A.	Method:	N.A.
Melting point / freezing point:	Not Relevant	Reason:	liquid
Initial boiling point and boiling range:	155 °C	Method:	N.A.
Flash point:	41 °C	Method:	NF EN ISO 13736
Evaporation rate:	N.A.	Method:	N.A.
Solid/gas flammability:	N.A.	Method:	N.A.

## Safety Data Sheet

### SOCOPAC 25 H - P19193A

Upper/lower flammability or explosive limits:	N.A.	Method:	N.A.
Vapour pressure:	N.A.	Method:	N.A.
Vapour density:	N.A.	Method:	N.A.
Relative density:	0,83	Method:	N.A.
Solubility in water:	N.A.	Method:	N.A.
Solubility in oil:	N.A.	Method:	N.A.
Partition coefficient (n-octanol/water):	N.A.	Method:	N.A.
Auto-ignition temperature:	N.A.	Method:	N.A.
Decomposition temperature:	N.A.	Method:	N.A.
Viscosity:	< 7 mm <sup>2</sup> /s (40°C)	Method:	N.A.
Explosive properties:	N.A.	Method:	N.A.
Oxidizing properties:	N.A.	Method:	N.A.
Miscibility:	N.A.	Method:	N.A.
Fat Solubility:	N.A.	Method:	N.A.
Conductivity:	N.A.	Method:	N.A.

---

## 10. STABILITY AND REACTIVITY

### Reactivity

It may generate dangerous reactions (See subsections below)

### Chemical stability

It may generate dangerous reactions (See subsections below)

### Possibility of hazardous reactions

None

### Conditions to avoid

Avoid accumulating electrostatic charge.

### Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

### Hazardous decomposition products

None.

---

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological information of the mixture:

N.A.

#### Toxicological information of the main substances found in the mixture:

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

##### a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 4951 mg/m<sup>3</sup>

HYDROCARBONS, C9, AROMATICS.

##### a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3492 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit = 3160 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat = 6193 mg/l

#### Substance(s) listed on the NTP report on Carcinogens:

None.

#### Substance(s) listed on the IARC Monographs:

None.

#### Substance(s) listed as OSHA Carcinogen(s):

None.

#### Substance(s) listed as NIOSH Carcinogen(s):

None.

**Safety Data Sheet**  
**SOCOPAC 25 H - P19193A**

**12. ECOLOGICAL INFORMATION**

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.  
 HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72 - Notes: Pseudokirchnerella subcapitata

Persistence and degradability

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

No harmful effects expected.

**13. DISPOSAL CONSIDERATIONS**

Waste treatment and disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

**14. TRANSPORT INFORMATION**



UN number

ADR-UN Number:	1263
DOT number:	UN1263
IATA-UN Number:	1263
IMDG-UN Number:	1263

UN proper shipping name

ADR-Shipping Name:	PAINT RELATED MATERIAL
DOT-Shipping Name:	PAINT RELATED MATERIAL
IATA-Shipping Name:	PAINT RELATED MATERIAL
IMDG-Shipping Name:	PAINT RELATED MATERIAL

Transport hazard class(es)

ADR-Class:	3
DOT Hazard Class:	3
ADR - Hazard identification number:	30
IATA-Class:	3
IATA-Label:	3
IMDG-Class:	3

Packing group

ADR-Packing Group:	III
DOT Packing group:	III
IATA-Packing group:	III
IMDG-Packing group:	III

## Safety Data Sheet

### SOCOPAC 25 H - P19193A

#### Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

N.A.

#### Special precautions

DOT Special provisions: B1, B52, IB3, T2, TP1, TP29

DOT Labels: 3

ADR-Subsidiary risks: -

ADR-S.P.: 163 640E 650

ADR-Tunnel Restriction Code: (D/E)

IATA-Passenger Aircraft: 355

IATA-Subsidiary risks: -

IATA-Cargo Aircraft: 366

IATA-S.P.: A3 A72

IATA-ERG: 3L

IMDG-EmS: F-E , S-E

IMDG-Subsidiary risks: -

IMDG-Storage category: Category A

IMDG-Storage notes: -

---

## 15. REGULATORY INFORMATION

#### USA - Federal regulations

##### TSCA - Toxic Substances Control Act

List of substances not included in the TSCA inventory: HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS, HYDROCARBONS, C9, AROMATICS., NAPHTHE LOURD (PETROLE) HYDRODESULFURE, PETROLATUM (PETROLEUM), OXIDIZED, CALCIUM SALT, Benzenesulfonic acid, di-C10-14-alkyl derivs, calcium salts.

TSCA listed substances:

None.

##### SARA - Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

Section 304 – Hazardous substances: no substances listed.

Section 313 – Toxic chemical list: no substances listed.

##### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

No substances listed.

##### CAA - Clean Air Act

CAA listed substances:

None.

##### CWA - Clean Water Act

CWA listed substances:

None.

#### USA - State specific regulations

##### California Proposition 65

Substance(s) listed under California Proposition 65:

None.

##### Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed.

##### New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

No substances listed.



**Safety Data Sheet**  
**SOCOPAC 25 H - P19193A**

## Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed.

The following substance(s) in this product has/have an identification by CAS number either in countries not affected by the REACH regulation or in regulations not yet updated to reflect the new naming convention for hydrocarbon solvents:

HYDROCARBONS, C9, AROMATICS. (CAS: 64742-95-6)

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, &lt;2%

AROMATIC

(CAS: 64742-48-9)

**16. OTHER INFORMATION**

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Safety Data Sheet dated 9/24/2015, version 1

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
HMIS:	Hazardous Materials Identification System
IARC:	International Agency for Research on Cancer
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
NFPA:	National Fire Protection Association
NIOSH:	National Institute for Occupational Safety and Health

## Safety Data Sheet

### SOCOPAC 25 H - P19193A

NTP:	National Toxicology Program
OSHA:	Occupational Safety and Health Administration
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).