

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOPROTEC V 0683 - P10683V****Safety Data Sheet dated 9/4/2018, version 3****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Trade name: SOCOPROTEC V 0683

MSDS code: P10683V

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Lubricant

Industrial uses

1.3. Details of the supplier of the safety data sheet

Company:

SOCOMORE S.A.S.

Zone Industrielle du Prat - CS 23707 - 56037 VANNES CEDEX - France

Tel : +33 (0)2 97 43 76 83 - Fax : +33 (0)2 97 54 20 26

Distributor/Manufacturer: Socomore Ireland Ltd. - Meenane, Watergrasshill, Co. Cork, Ireland -

Tel +353 21 4889922 / Fax +353 21 4889923 / ireland@socomore.com

Distributor: Socomore GmbH - c/o MAZARS GmbH - Theodor-Stern-Kai 1 - 60596 Frankfurt am

Main - Deutschland - Tel: +49 (0)89 20 70 28 83 - Fax: +49 (0) 89 88 91 98 16

Distributor: Socomore Iberia - Calle Diputació, 260 - 08007 Barcelona - Espana - Tel: +34 917

693 962 - Fax: +34 902 908 966

Dystrybutor : SOCOMORE SPzoo - Ul. Piekna 18, 00-549 Warszawa Polska - Tel : +48 608 454

114 - Fax : +48 (22) 621 61 09

Competent person responsible for the safety data sheet:

techdirsocomore@socomore.com

1.4. Emergency telephone number

France : ORFILA (INRS) +33 (0)1 45 42 59

International : CHEMTEL +1-813-248-0585.

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****EC regulation criteria 1272/2008 (CLP)**

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Hazard pictograms:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients**3.1. Substances**

N.A.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOPROTEC V 0683 - P10683V

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
< 0.1%	2-AMINOETHANOL	CAS: 141-43-5 EC: 205-483-3 REACH No.: 01-2119486455-28	⚠ 3.1/4/Inhal Acute Tox. 4 H332 ⚠ 3.8/3 STOT SE 3 H335 ⚠ 3.1/4/Dermal Acute Tox. 4 H312 ⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.2/1B Skin Corr. 1B H314 4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not induce vomiting. Obtain a medical examination.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

No particular treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOPROTEC V 0683 - P10683V

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-AMINOETHANOL - CAS: 141-43-5

- OEL Type: National - TWA(8h): 5.1 mg/m³ - Notes: Germany- Notes DFG, H, Y

- OEL Type: National - TWA(8h): 2.5 mg/m³, 1 ppm - STEL: 7.6 mg/m³, 3 ppm - Notes: France

VLEC - TMP N° 49, 49 Bis

- OEL Type: EU - TWA(8h): 2.5 mg/m³, 1 ppm - STEL: 7.6 mg/m³, 3 ppm - Notes: Skin

- OEL Type: ACGIH - TWA(8h): 3 ppm - STEL: 6 ppm - Notes: Eye and skin irr

- OEL Type: National - TWA(8h): 2.5 mg/m³, 0.98 ppm - STEL: 7.6 mg/m³, 3 ppm - Notes:

Netherlands

- OEL Type: National - TWA(8h): 2.5 mg/m³, 1 ppm - STEL: 7.6 mg/m³, 3 ppm - Notes:

Belgium

- OEL Type: National - TWA(8h): 2.5 mg/m³, 1 ppm - STEL: 7.6 mg/m³, 3 ppm - Notes: UK

DNEL Exposure Limit Values

2-AMINOETHANOL - CAS: 141-43-5

Worker Industry: 1 mg/kg - Consumer: 0.24 mg/kg - Exposure: Human Dermal -

Frequency: Long Term, systemic effects

Worker Industry: 3.3 mg/m³ - Consumer: 2 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, local effects

Consumer: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term, local effects

PNEC Exposure Limit Values

2-AMINOETHANOL - CAS: 141-43-5

Target: Fresh Water - Value: 0.085 mg/l

Target: Marine water - Value: 0.0085 mg/l

Target: Freshwater sediments - Value: 0.425 mg/l

Target: Marine water sediments - Value: 0.0425 mg/l

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Soil (agricultural) - Value: 0.035 mg/kg

Target: PNEC intermittent - Value: 0.025 mg/l

Biological Exposure Index

8.2. Exposure controls

See below, example of PPE to use.

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

NR (natural rubber, natural latex).

NBR (nitrile rubber).

PVA (Polyvinyl alcohol).

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOPROTEC V 0683 - P10683V

PVC (polyvinyl chloride).
 Butyl rubber (isobutylene-isoprene copolymer)
 Respiratory protection:
 Not needed for normal use.
 Thermal Hazards:
 None
 Environmental exposure controls:
 None
 Appropriate engineering controls:
 None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	CLEAR BLUE GEL	--	--
Odour:	N.A.	--	--
Odour threshold:	N.A.	--	--
pH:	9.5	--	--
Melting point / freezing point:	Not Relevant	--	--
Initial boiling point and boiling range:	100°C	--	water base
Flash point (°C):	N.A.	--	--
Flash Point (°F):	N.A.	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	liquid
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	1	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	Not Relevant	--	--
Decomposition temperature:	N.A.	--	--

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOPROTEC V 0683 - P10683V

Viscosity:	2000 CPS		--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	N.A.	--	--
Fat Solubility:	N.A.	--	--
Conductivity:	N.A.	--	--
Substance Groups relevant properties	N.A.	--	--

Volatile Organic compounds - VOCs = 0 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

2-AMINOETHANOL - CAS: 141-43-5

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 1089 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 1000 mg/kg

Test: LC50 - Route: Inhalation Dust > 1 mg/l - Duration: 4h

g) reproductive toxicity:

Test: NOAEL - Species: Rat = 225 MGKGBWDAY - Notes: development

Test: NOAEL - Species: Rat = 300 MGKGBWDAY - Notes: fertility

h) STOT-single exposure:

Test: C - Route: Inhalation Dust > 5 mg/l - Duration: 4h

i) STOT-repeated exposure:

Test: NOAEL - Route: Oral - Species: Rat = 300 mg/kg/d - Duration: > 75 days - Source: OECD 416, Experimental value - Notes: Effect: Body weight, weight of organs, consumption food

Test: NOAEC - Route: Inhalation - Species: Rat = 10 mg/m³ - Duration: 4 weeks (daily, 5 days/week) - Source: OECD 412, Experimental value - Notes: Effect: Lesions to the

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOPROTEC V 0683 - P10683V

larynx, trachea and lungs

Test: NOEC - Route: Inhalation - Species: Rabbit = 150 mg/m³ - Duration: 4 weeks (daily, 5 days/week) - Source: OECD 412, Experimental value - Notes: No adverse systemic effects

If not specified in other sections, the information required in Regulation (EU)2015/830 listed below must be considered as not relevant.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

Other toxicological information:

2-AMINOETHANOL

Low subchronic toxicity by dermal, oral and inhalation routes.

Skin corrosion / irritation (rabbit):

Corrosive

Severe eye injury/irritation (rabbit):

Irritating effect

SECTION 12: Ecological information**12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.

2-AMINOETHANOL - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96 - Notes: Cyprinus carpio

Endpoint: NOEC - Species: Fish = 1.2 mg/l - Duration h: 720 - Notes: Oryzias latipes

Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48

Endpoint: NOEC - Species: Daphnia = 0.85 mg/l - Duration h: 504

Endpoint: NOEC - Species: Algae = 1 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72 - Notes: Pseudokirchneriella subcapitata

c) Bacteria toxicity:

Endpoint: EC50 - Species: bacteria > 1000 mg/l

12.2. Persistence and degradability

2-AMINOETHANOL - CAS: 141-43-5

Biodegradability: Biodegradability rate - Test: N.A. - Duration: 21 days - %: > 90 - Notes: N.A.

12.3. Bioaccumulative potential

2-AMINOETHANOL - CAS: 141-43-5

Log Pow - Test: N.A. -1.91 - Duration: N.A. - Notes: N.A.

12.4. Mobility in soil

2-AMINOETHANOL - CAS: 141-43-5

Log Koc - Test: N.A. 1.17 - Duration: N.A. - Notes: N.A.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

No harmful effects expected.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOPROTEC V 0683 - P10683V

Recover if possible. In so doing, comply with the local and national regulations currently in force.
Codes of wastes (Décision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

07 06 99 wastes not otherwise specified

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

No restriction.

Restrictions related to the substances contained:

No restriction.

Listed or in compliance with the following international inventories:

N.A.

Labelling of detergents (EC Regulations 648/2004 and 907/2006):

N.A.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

1999/13/EC (VOC directive)

Dir. 2004/42/EC (VOC directive)

Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))

SOCOPROTEC V 0683 - P10683V

Provisions related to directive EU 2012/18 (Seveso III):
Seveso III category according to Annex 1, part 1
None

15.2. Chemical safety assessment

No

SECTION 16: Other information

N.A.: Not Applicable or Not Available

Full text of phrases referred to in Section 3:

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H312 Harmful in contact with skin.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H412 Harmful to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

Important confidentiality : this document contains confidential information that is proprietary to SOCOMORE. Subject to legal provisions determining otherwise, the distribution, republication or re-transmission of this document, in full or in part, must be limited to clearly identified individuals, either because they use the product, or to provide HSE information. Any communication of this document outside of this framework without our written consent is strictly forbidden.

SOCOMORE strongly advises every recipient of this safety data sheet to read it carefully and to consult experts in the field if necessary or appropriate, in order to understand the information it contains, notably the possible dangers associated with this product. The users must ensure the conformity and completeness of this information with regards to their specific use of the product. The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the responsibility of the purchaser/user to ensure that their activities conform with current legislation in force.

Only our departments or employees are authorised to provide you with safety data sheets for our products. We cannot be held responsible for safety data sheets obtained from non authorized sources outside our Company and thus liable to contain obsolete or inaccurate data.

This safety data sheet cancels and replaces any preceding version.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport

**Safety Data Sheet (Regulation (EC) n. 1907/2006 (REACH))
SOCOPROTEC V 0683 - P10683V**

	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
STOT SE:	May cause drowsiness or dizziness
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.